



# LBX



Protect your entrance and your mail.



Access Control - gates/door entry, speak to your callers etc.



Can be pedestal or wall mounted.




Available in all our technologies! GSM & IP/4G Technologies are listed.

### **The LBX, an all-in-one innovative solution for property exteriors.**

The LBX is designed to provide a simple and modern solution to property access and traditional postal requirements. Pairing a modern design with the functionality of our intercoms, the LBX is a great option to declutter your property's exterior.

**The LBX is available with Prime7 and the IP/4G Praetorian Guard.** Choose which functions/features you need as with any AES Global intercom and have the added functionality of a traditional letterbox. **(Other technologies are available, ask for more information).**

**Never miss a visitor/caller, this unit calls your home phone or mobile on roll-over when a visitor presses the call button.**



Store up to 4 notification phone numbers to receive an SMS (customizable) when relay is triggered etc



Ability to set Do-not-disturb times.




Set automatic gate open & close times.



Trigger, latch and unlatch SMS replies.



FOTA – Upgrade firmware via SMS.



2x Relays.



Intercoms with proximity readers are available.



Issue time-restricted keypad codes.



Antenna.


Works with our multi network AESIM.

[aesglobaltelecom.com](http://aesglobaltelecom.com)



### AES PRO APP

The ideal app for **installers**, offering the ability to program intercoms across multiple sites and including additional features.



### AES HOME APP


The user-friendly option allows the **end user** to program their AES intercom conveniently.

DETAILS			
Dial Out Numbers	4	Relays	2
Permanent Codes/cards	250	Relay Type	N/C and N/O
Time Restricted Codes/cards	250	Relay Load	2 amps, 24v ac max
Temporary Codes/cards	50	Power Consumption	300mA on dial out, 2amp peak demand
Automatic Trigger Events per Week	50	Modem Models	4G EU, 4G USA, 4G AUS/NZ
Caller ID Numbers	250	Power Supply	24v dc (24v dc 2A adaptor included)
Time Restricted Caller ID Numbers	250	Prox model	125 khz

# LBX CELLCOM PRIME7 7th GENERATION

Ultra-stylish Letterbox with built-in PRIME7 access control technology.

Each kit contains, a LBX panel, power supply, install manual, sim card options and an antenna.




**PRIME7-LBK-EU**  
**PRIME7-LB-EU (NON KP)**

All-black LBX panel. This unit can be wall or pedestal mounted.



**PRIME7-LFBK-EU**  
**PRIME7-LFB-EU (NON KP)**

All-black, sleek flush LBX.



**PRIME7-LSK-EU**  
**PRIME7-LS-EU (NON KP)**

Full steel LBX. This unit can be wall or pedestal mounted.



**PRIME7-LAK-EU**  
**PRIME7-LA-EU (NON KP)**

LBX in anthracite grey. This unit can be wall or pedestal mounted.



**IP55 for intercom section only.**

# PRAETORIAN GAURD




## IP - 4G Video Intercom System



The 4G modem has an access point to the internet via a compatible SIM card\*.



SMART APP



- **Speak & view your visitors from anywhere in the world.**
- Grant access remotely - Send a command to the gate motor via the app to open your gates etc.
- Optional integrated keypad for access codes – 24-7 / Timed / Temporary.
- Optional integrated proximity for access - Cards/Tags - 24-7 / Timed / Temporary.
- Voicemail - Visitors can leave a video message when unanswered (SD card required).
- Multi-User - Add up to 8 maximum devices per Intercom ID. (incl ADMIN user. 4 maximum for optimal performance.)
- Connect via a 4G Access Point via sim card or WiFi, LAN Cable (Sold Separately) (Dualband WIFI. 2.4 & 5.8G wifi (IEEE 802.11 b/g/n/a/c).
- Volume of external speaker adjustable at the call-point.

\* MIN 1.5MB UPLOAD.

\* MIN 1GB PER MONTH DATA (Depending on usage).

\*Works with our multi network AESIM. (Data SIM)

[aesglobaltelecom.com](http://aesglobaltelecom.com)



DETAILS			
Permanent Codes/cards	100	Relay Type	N/C and N/O
Time Restricted Codes/cards	100	Relay Load	3 amps, 24v ac max
Temporary Codes/cards	100	Power Consumption	300mA on dial out, 2amp peak demand
Event log displays	100	Modem Models	4G Europe, 4G USA, 4G AUS/NZ
Unique APP users	8	Power Supply	24v dc (24v dc 2A adaptor included)
Relays	2	Wifi (Range 2.4 & 5.8ghz)	IEEE 802.11 a/b/g/n/ac
		SD Card	Required to view recorded events (not included).



LBX Letterbox with built-in PRAETORIAN VIDEO 4G access control technology.

Each kit contains, a LBX panel, power supply, install manual and a 4G Modem for an internet connection via a compatible SIM card. (SIM cards options included)



**PRAE-4G-LBK-EU**  
**PRAE-4G-LB-EU (NON KP)**

All-black LBX panel. This unit can be wall or pedestal mounted.



**PRAE-4G-LFBK-EU**  
**PRAE-4G-LFB-EU (NON KP)**

All-black, sleek flush LBX.



**PRAE-4G-LSK-EU**  
**PRAE-4G-LS-EU (NON KP)**

Full steel LBX. This unit can be wall or pedestal mounted.



**PRAE-4G-LAK-EU**  
**PRAE-4G-LA-EU (NON KP)**

LBX in anthracite grey. This unit can be wall or pedestal mounted.




**Ordering a IP kit? Change product code 4G to IP. Eg PRAE-IP-LBK-EU.**  
(The Antenna connects to your existing Wi-Fi hub)

Works with our multi network AESIM.  
(Data SIM)  
[aesglobaltelecom.com](http://aesglobaltelecom.com)




# LBX LETTERBOX DIMENSIONS

## LBX FLUSH PANEL



## LETTERBOX HOLE SIZE

MAX LETTER SIZE C4



## LBX PANEL

